

DECOVER – GEOINFORMATION SERVICES TO UPDATE AND SUPPLEMENT LAND COVER DATA FOR GERMAN DECISION MAKERS

O. Büscher^{a,*}, O. Buck^a

^a EFTAS Remote Sensing GmbH, Ostmarkstr. 92, 48149 Münster, Germany - (olaf.buescher, oliver.buck)@eftas.com

KEY WORDS: Remote Sensing, Land Cover, Classification, Change Detection, Interoperability

ABSTRACT:

There is a growing need for consistent and up to date land cover data at various scales by regional, national and European authorities. Main drivers are recent or upcoming European directives and initiatives, which contain increasingly spatially differentiated monitoring and reporting obligations in agriculture, environmental protection, water management, soil protection or spatial planning.

DeCOVER is a national research project to develop and demonstrate innovative and cost-efficient geo-information services to address this growing need in Germany. The DeCOVER consortium consists of eleven partners and is co-funded by the Federal Ministry of Economics and Technology (BMWi) via the German Aerospace Center (DLR).

The expected services will support the implementation of European directives at various scales and are developed in close cooperation with key decision makers and in exchange with European developments within the framework of the Global Monitoring for Environment and Security (GMES) initiative. DeCOVER also acts as a SDIC (Spatial Data Interest Community) within the INSPIRE process to take into account these recent infrastructure developments.

In summary the main objectives of DeCOVER are to:

- develop a service concept of core services and additional services to provide land cover information based on user needs at various scales
- employ latest ontology-based semantic interoperability techniques to define interoperability potential between different land cover data bases
- improve existing land cover data sets by use of change detection methods
- increase information depth using optical and radar satellite data (data fusion)

KURZFASSUNG:

Die Nachfrage an konsistenten und aktuellen Landbedeckungsdatensätzen auf verschiedenen Maßstabsebenen durch regionale, nationale und europäische Institutionen wächst stetig vor dem Hintergrund europäische Direktiven und Initiativen. Diese beinhalten vermehrt räumlich differenzierte Berichtspflichten innerhalb unterschiedlichster Ressorts wie Landwirtschaft, Umwelt-, Wasser- und Bodenschutz oder Raumplanung.

Das nationale deutsche Forschungs- und Entwicklungsprojekt DeCOVER wird innovative und kosteneffiziente Geoinformationsdienste konzipieren und demonstrieren, um diesen wachsenden Bedarf in Deutschland zu begegnen. Das DeCOVER-Konsortium besteht aus elf Mitgliedern und wird gefördert mit Mitteln des Bundesministeriums für Wirtschaft und Technologie durch das Deutsche Zentrum für Luft- und Raumfahrt e.V. (DLR).

Die angestrebten Dienste werden die Umsetzung der europäischen Direktiven auf verschiedenen Ebenen unterstützen. Sie werden in enger Zusammenarbeit mit Entscheidungsträgern und unter Berücksichtigung europäischer Entwicklungen innerhalb der europäischen GMES-Initiative entwickelt. DeCOVER wird sich als SDIC in die INSPIRE-Initiative einbringen, bzw. INSPIRE-Vorgaben berücksichtigen.

Die Kernaspekte des DeCOVER-Projektes sind:

- Entwicklung eines Dienstes Konzeptes mit Ausgangs- und Ergänzungsdiensten entsprechend der Nutzeranforderungen auf verschiedenen Maßstabsebenen
 - die Anwendung semantischer Ontologien zur Beschreibung des Interoperabilitätspotenzials verschiedener Landbedeckungsdatensätze
 - die Entwicklung und Anwendung von Change Detektion Methoden zur Unterstützung der Fortführung bestehender Datenkataloge
 - die gemeinsame Nutzung von Radar und optischen Fernerkundungsdaten zur Steigerung der Informationstiefe
-

1. BACKGROUND AND EUROPEAN CONTEXT

Up to date land cover data are an important information source for lots of public authorities. The need for such land cover / land use data is constantly growing. Currently in Germany available data, such as the European CORINE LAND COVER (CLC), the German ATKIS[®] (Authoritative Topographic and Cartographic Information System) and several BNTK data (Biotope and Land Use Type Mapping Schemes by the Federal States) can be improved in terms of quality and whether the data is up to date (Backhaus et al 2004, Bach et al 2005, Bareth 2001, Mohaupt-Jahr 2004, Seiler et al 2004, Zöhlitz-Möller 2001). It can be said, that

- the European CLC is neither sufficient in its thematic and geometric resolution.
- the German ATKIS data, mapped by the German federal states and supplied by the Federal Agency of Cartography and Geodesy, not always provides the needed information depth and timeliness.
- the BNTK data sets provide high-detailed environmental information but do not cover whole Germany and their updates can not be guaranteed.

In the context of GMES (Global Monitoring for Environment and Security), a joint initiative of European Commission and European Space Agency, several services are developed to provide spatial information to support the monitoring and reporting obligations of European directives (Overview at www.gmes.info, Example Water Framework Directive Dworak et al 2005). These implementations take place with strong participation of German authorities, researchers and service providers. Current developments at the European level support a new European-wide land cover data set (Core Service Land Monitoring). This data set must be seen as a European consensus and will solely contain thematic land cover data information supporting European reporting obligations. Its geometric and thematic resolution will only partly support national and regional needs. DeCOVER will complement and extend these developments at the national and regional level for German users.

To support and take into account recent and future service infrastructure developments DeCOVER has registered as a SDIC (Spatial Data Interest Community) within the INSPIRE process. This participation shall assure the integration of DeCOVER results into the INSPIRE process as well as taking the upcoming INSPIRE specifications on board the DeCOVER developments.

2. SERVICE CONCEPT

2.1 DeCOVER Core Service

A set of geo-information services has been designed to support national and regional users in their monitoring and reporting obligations. The DeCOVER service concept is divided in core and additional services. The DeCOVER Core Service has two main focal points

- Provide national harmonized land cover data and thus support the German spatial data infrastructure (GDI-DE) in providing selected and validated geo-information.

- Employ change detection and interoperability methods to support existing data bases (namely ATKIS, CLC and BNTK), increase efficiency and reduce costs to promote long-term service continuation

The DeCOVER Core Service Object catalogue is based upon harmonized user requirements, interoperability potential to update CLC, BNTK and AKTIS and results of a cost-benefit analysis. The Core Service can provide a nation-wide data set, which can be directly used to support end-users in their monitoring and reporting obligations. In providing interoperability to CLC and other upcoming potential harmonized European data sets it will be consistent with European standards on EO based land cover data bases. Change detection methodologies are applied to identify areas of land cover change and thus provide a targeted indication for an update of existing land cover catalogues.

2.2 Additional DeCOVER Services

A further portfolio of geo-information services are designed to meet user requirements, which can not be served by the DeCOVER Core Service. These services will address specific user needs in several thematic fields at regional scales (e.g. Water Quality management, Soil protection, Nature protection, Forest Monitoring, Spatial planning). These services will be implemented by demand on user designated areas, providing more detailed information on specific land cover aspects (e.g. NATURA 2000 Monitoring, Forest Monitoring, Cross Compliance Monitoring).

3. CORE SERVICE OBJECT CATALOGUE

3.1 Design

The content of the DeCOVER CORE Service Object Catalogue (i.e. the specific land cover classes and their definitions) are based on three different aspects: user requirements, interoperability potential and the results of a cost-benefit analysis.

The acceptance and success of DeCOVER depends on the service usability for end users and the expected costs for using these services. DeCOVER follows a strongly user orientated approach to meet the real existing user needs and to direct method development for maximum cost-benefit-efficiency. A comprehensive user requirement analysis has served as a base for the DeCOVER object catalogue, a compilation of required land cover classes/information for specific purposes. End user information needs from different administrative levels and within relevant application areas (e.g. water management, environmental protection, cartography, spatial planning) has been analyzed and compiled (Buck 2006). Selected core users are also involved in validation cycles to ensure target-oriented project development.

This initial user requirement analysis has shown real synergies between (thematically) different user needs. It showed that different users require similar land cover information. Bringing together these synergies in one DeCOVER Service provides a potential to minimize future costs to guarantee a long term service continuation. Parallel to the user requirement analysis, interoperability potential between the identified land cover classes has been analyzed, to optimize synergies between existing data sets and newly collected information.

The currently tested core-service object catalogue includes 39 service land cover/use classes arranged in hierarchical order (Table 1).

Table 1. The currently listed 39 core service object classes

V Vegetationsflächen			
VN	Naturnahe Vegetation	VNf	Vegetation auf Feuchflächen
		VNg	Vegetation mit Gezeiteinfluß
VV	Vaid	VNk	Kraut- und Staudenvegetation
		VNs	Strauchvegetation, Wald-Strauch Übergangsstadien, Gehölzstrukturen
		VVn	Nadelwald
		VVm	Mischwald
VL	Landwirtschaft jährliche Nutzungsfolgen	VVl	Laubwald
		VVu	Unbestockte Waldflächen
VD	Landwirtschaft Dauerkulturen	Vig	Wirtschaftsgrünland
		VLa	Ackerbau
YK	Komplexe Landwirtschaftliche Strukturen	Viv	Weinbau
		VLo	Obstbestand
		Vlh	Hopfenanbau
		VLS	Dauerkultur-Sonstige
G Gewässer			
GB	Gewässer im Binnenland	GBI	Gewässerläufe
		GBF	Gewässerflächen
GG	Gewässer mit Gezeiteinfluss		
GM	Meer		
F Vegetationsfrei-/arme Fläche			
FN	Natürlich vegetationsfrei-/arme Flächen	FNw	Watt
		FNd	Strände, Dünen, Sandflächen
		FNf	Felsflächen ohne/mit wenig Vegetation
		FNg	Gletscher/ Dauerschneegebiet
		FNs	Sonst. natürlich vegetationsfreie Fläche
FA	Anthropogen vegetationsfrei-/arme Fläche	FAa	Abbauflächen
		FAd	Deponien, Abraumhalden
		FAb	Baustellen
B Bebaute Bereiche			
BS	Siedlungsbereich	BSs	starker Überprägung
		BSm	mittlerer Überprägung
		BSg	geringer Überprägung
		BSw	mit wenig Überprägung
		BSa	Sport/ Freizeit- anlagen
		BSf	Städtische Grünflächen
BI	Industrie/ Gewerbe-flächen	BId	Dichte Industrie-/Gewerbeflächen unter Nutzung
		BIl	Lockere Industrie-/Gewerbeflächen unter Nutzung
		BIf	Industriebrachen, Militärbbrachen
BV	Verkehr	BVs	Straßen/Eisen- bahnnetze, funktional Flächen
		BVh	Hafengebiete
		BVi	Flughäfen

boundaries the necessary but labour intensive (mostly manual) thematic and geometric border adjustments are minimized.



Figure 1. DeCOVER Test Sites

For this object catalogue a detailed mapping guide has been designed containing themes like object class descriptions or recommendations concerning the data model. The first verification and optimization of the mapping guide will be accomplished during the first test demonstration.

3.2 Core Service Demonstration

The designed Core Service and its underlying process chain are currently tested and demonstrated on two selected test areas (Figure 1). These test are expected to conclude in May 2007.

The Core Service employs a novel sequential process chain. This means, that the data production is progressing stepwise from one specific thematic object group (TOG) to the next, namely from urban areas to water bodies to forest areas to agricultural areas to natural areas. Within these specific TOGs specially adapted classification algorithms are applied to map the relevant thematic object classes.

This sequential process chain has two main merits. It integrates available thematic expert knowledge (because every TOG will be processed by a specialist partner) and flexible processing conditions. In difference to standard processing tiles (e.g. by dividing satellite images into regular quadrates), the DeCOVER processing units are patches of about 225 km² using significant natural or anthropogenic boundaries (e.g. rivers or streets). This enables a flexible patch by patch operation depending on processed data from the previous TOG as well as provided satellite data. By using natural or significant anthropogenic

4. INNOVATIVE METHODS

The following chapter will provide an overview of the relevant core technical and scientific approaches and methods within the DeCOVER project, without going into too much detail. The following three areas are of major concern within DeCOVER:

- Semantic interoperability - Method to compare and visualize interoperability potential of geoinformation (object types) within and in-between different data sources (object catalogues CLC, ATKIS®, BNTK and others)
- Change detection - cost-efficient and timely continuation of land cover data through the automatic detection of changes
- Data Fusion – Co-Registration and joint analysis of optical and radar data

4.1 Semantic interoperability

To support the update of the existing data bases such as the European Corine Land Cover as well as the German topographic reference data set (ATKIS) the potential synergies between the different data base objects (land cover classes) of these catalogues have been assessed. All object classes of the relevant object catalogues were described and formalized using ontologies and brought into a knowledge base. Based on their semantic description, objects can then be compared between different catalogues using a similarity index. Objects showing a

http://www.decover.info/Nutzer/Sonstiges/DeCOVER_Nutzeranforderungen_EFTAS_F_0610_V02.pdf. Accessed 10.04.2007.

Dworak, T., Laaser, C., Kuntz, S., Seifert, F.M. (2005). Possible contributions of ESA Global Monitoring for Environment and Security initiative for the WFD implementation. *Environmental Science and Policy* (8), 321-326

Mohaupt-Jahr (ed.) (2004). CORINE Land Cover 2000 in Germany and Europe and its use for Environmental Applications. UBA Texte 04/04. ISSN 0722-186X. Umweltbundesamt. Berlin.

Seiler, U., Neubert, M., Meinel, G. (2004): Automatisierte Erfassung von Biotop- und Nutzungstypen – Beispiel der segmentbasierten Klassifikation von IKONOS-Stellitenbilddaten. *Naturschutz und Landschaftsplanung* (4), 101-106.

Zöllitz-Möller, R. (ed.) (2001): ATKIS im Meinungsbild von Nutzern In: ARL (Akademie für Raumforschung und Landesplanung): GIS in der Regionalplanung. Arbeitsmaterial Nr. 284, 19-23.